

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	989	726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:18
S2	487	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:19
S3	300	713/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:19
S4	58	(SUNDARAM near RAVI) (MILLIKEN near WALTER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:19
S5	49	S4 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:20
S6	6	S4 and unauthorized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:31
S7	11	unauthorized with access\$4 same return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:33
S8	95	unauthorized with access\$4 and return adj address same (function algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:35
S9	62	S8 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:35

## EAST Search History

S10	50	unauthorized with access\$4 and return adj address with (function algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:35
S11	32	S10 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:10
S12	20	unauthorized same unused with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:15
S13	102	IP adj address with map\$4 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:22
S14	20	S13 same (user time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:16
S15	0	IP adj address with map\$4 same hash\$4 same user adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:22
S16	6	map\$4 same hash\$4 same user adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:22
S17	1761	address near3 map\$4 same (user request\$4) adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:18
S18	220	S17 same tim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:55
S19	54	S18 same (hash\$4 function algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:55

## EAST Search History

S20	43	S19 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:07
S21	1	address near3 map\$4 same (user request\$4) adj2 address with tim\$4 same return\$4 adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:59
S22	33	address near3 map\$4 same (user request\$4) adj2 address same return\$4 adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 10:59
S23	18	S22 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:10
S24	1	("6909713").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/26 11:10
S25	38	hash\$4 with address same return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:13
S26	22	S25 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:10
S27	13	hash\$4 adj2 address same return\$3 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:14
S28	698	address near3 map\$4 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:20
S29	2	S28 same return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:19

## EAST Search History

S30	384	address near3 map\$4 with hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:20
S31	13	S30 and return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 11:20
S32	2114	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:49
S33	271	S32 and hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:49
S34	4	S32 and function with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:51
S35	1089	function with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:54
S36	297	S35 same (time user adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:51
S37	189	S36 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:51
S38	32	S37 and ("713".clas. "709".clas. "380".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:52
S39	23	hash\$4 with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:57

## EAST Search History

S40	2	address near mapping same hash\$4 with (user adj address time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 10:58
S41	80	address near mapping same hash\$4 with (address time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:00
S42	9	S41 same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:01
S43	52	S41 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:04
S44	305	random with address with mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:04
S45	85	random with address adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:04
S46	1	S45 same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:05
S47	98	random with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:05
S48	6	random near3 return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:07
S49	6	random near3 address near provision\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:11

## EAST Search History

S50	284	block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:12
S51	32	one with block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:22
S52	5	(choos\$4 select\$4) near address with block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:24
S53	93	assign\$4 with address with block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 11:25
S54	52	assign\$4 near address with block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 12:54
S55	2	hash\$4 near3 address with block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 12:55
S56	2	hash\$4 near3 address same block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 12:55
S57	3	hash\$4 with address same block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 12:56
S58	3	hash\$4 same block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:10
S59	34	hash\$4 with address and block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:05

## EAST Search History

S60	969	hash\$4 with ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:05
S61	14	S60 same return\$4 adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:10
S62	5	random\$4 same block near IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:11
S63	108	random\$4 with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:11
S64	2	S63 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:12
S65	4	S63 and ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:12
S66	2	identify\$4 near3 return\$4 near address with request\$4 near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:21
S67	162	unique\$4 with return\$4 near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:21
S68	28	S67 with (user time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:34
S69	16283	address with mask\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:35

## EAST Search History

S70	93	address with mask\$4 same return\$4 near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:40
S71	74	S70 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 16:08
S72	1	("5682512").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/28 13:36
S73	3	S70 same IP adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 13:40
S74	15	address with masking same return\$4 near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 15:38
S75	1	("20060047826").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/28 13:45
S76	118	address with masking same Ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 15:43
S77	0	ip adj prefix with request\$4 same return\$4 near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 15:44
S78	18	ip adj prefix with request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 15:54
S79	1	request\$4 with generic with address same return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 15:55
S80	1173	(select\$4 choos\$4 obtain\$4 assign\$4) with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 15:56

## EAST Search History

S81	3	S80 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 16:08
S82	57	S80 and hash\$4 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 16:08
S83	48	S82 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 16:08
S84	1	hash\$4 with client adj address same return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 16:13
S85	0	hash\$4 with client adj address same block near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 16:14
S86	32	hash\$4 with client adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:34
S87	875	chang\$4 with Ip adj address with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:43
S88	5	S87 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:39
S89	17	S87 same random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:39
S90	4	random\$4 with chang\$4 with Ip adj address with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:42

## EAST Search History

S91	47	random\$4 with chang\$4 with Ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:43
S92	22	chang\$4 with Ip adj address with time adj period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:47
S93	16	dynamic with Ip adj address with time adj period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:07
S94	6	dynamic with Ip adj address with allocation same time adj period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:09
S95	63	dynamic with Ip adj address same time adj period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:09
S96	28	S95 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:14
S97	47	randomly with (choos\$4 set\$4 allocat\$4) with ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:14
S98	20	S97 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:19
S99	474	hash\$4 with time with request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:23
S100	60	S99 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:19

## EAST Search History

S10 1	27	S100 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:23
S10 2	131	hash\$4 with time near2 request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:23
S10 3	66	S102 and @ad<"20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 10:35